•									
010				-	ATTY. DOCKET NO.		APPLICATION NO		
101PE	LET C	OF REFERENCES CITE	D BY APPLI	CANT	5914-078-999		09/578,827		
· •	<u>G</u> ,	(Use several sheets if n			Benfey et al.				
JUN 2 2 2001	7	(FILING DATE		GROUP		
	<u> </u>				08/14/00		1632		
RADEMARK!			U.\$. PATENT DOCUM	IENTS				
*EXAMINER INITIAL		DOCUMENT NUMBER	DATE		NAME	CLASS	SUBCLASS	FILIN IF APP	G DATE ROPRIATE
	AA	5,661,016	08/27/97	Lonberg et al.					
	AB	5,633,425	05/27/97	Lonberg et al.					
	AC	5,625,126	04/29/97	Lonberg et al.					
	AD	5,585,089	12/17/96	Queen et al.				-	
	AE	5,569,825	10/29/96	Lonberg et al.			_		
	AF	5,545,806	08/13/96	Lonberg et al.					
	AG	5,272,071	12/21/93	Chappel		ļ		<u> </u>	
	АН	5,256,558	10/26/93	Coruzzi et al.				ļ	
	ΑI	5,110,732	05/05/92	Benfey et al.				ļ	
	AJ	5,097,025	03/17/92	Benfey et al.		ļ			
	AK	5,023,179	06/11/91	Lam et al.		<u></u>			
		т.	FORE	IGN PATENT DOC	UMENTS	T	T		
		DOCUMENT NUMBÉR	DATE		COUNTRY	CLASS	SUBCLASS	TRAN:	SLATION NO
								720	
		OTHER RE	FERENCES (Ir	ncluding Author, Titl	e, Date, Pertinent Pages, Etc.)				
	AL	Aeschbacher et al., 19 Development <u>9</u> : 330-3		BRE gene is requ	uired for normal cell expans	ion in A	rabidopsis	", Ge	nes &
	АМ	Aeschbacher et al., 19 Plant Physiology and F			lar Basis of Root Developm 5-45	ent," An	nnual Revi	ew of	
	AN	Aeschbacher and Ben	fey, 1992, "G	enes that regula	te plant development," Plan	t Scienc	ce <u>83</u> : 115	-126	
	AO				is of promoter from gliadin, Gen. Genet. <u>225</u> :65-71	an endo	sperm -sp	ecific	;
	AP	Barlow, 1995, "Gravity Environ. 18:951-962	perception in	n plants: a multip	licity of systems derived by	evolutio	on?," Plan	t Cell	
····································	AQ		2000, "Root D	Development Prin	ner," Current Biology <u>10</u> : R	313-815			
	AR				rent Opinion in Plant Biolog				
	AS	Benfey and Schiefelbe and Environment 17: 6		sights into root de	evelopment from Arabidops	<i>is</i> root n	nutants," F	Plant,	Cell
	AT	Benfey and Schiefelbe formation," Trends in (of plant development: the g	enetics (of Arabido	psis r	oot
	AU	Benfey et al., 1993, "R morphogenesis," Deve			is: four mutants with dramat	ically al	tered root		
	AV	· ·			sgenic Plants,"Science 244:	174-181	1		
	ΑŴ			n vectors for pla	nt transformation," Nuc. Aci	d Res. 1		721_	<u>.</u>
	AX	Bevan and Chilton, 19	82, "T-DNA c	of the Agrobacter	ium Ti and Ri Plasmids," A	nn. Rev.	. Genet. 1	6:357	-384

-			
ļ	·	AY	Bjorkmann, 1992, "Perception of Gravity by Plants," Adv. Space Res. 12:195-201
1	SIPE	AZ	Boulton et al., 1989, "Specificity of Agrobacterium-mediated delivery of maize streak virus DNA to members of the Gramineae," Plant Mol. Biol. 12:31-40
JUN	2 2 2001	BA	Broglie <i>et al.</i> , 1984, "Light-Regulated Expression of a Pea Ribulose-1, 5-Bisphosphate Carboxylase Small Subunit Gene in Transformed Plant Cells," Science <u>224</u> :838-843
		ВВ	Caspar and Pickard, 1989, "Gravitropism in a starchless mutant of Arabidopsis," Planta 177:185-197
	DEMARK OF	вс	Chuang and Meyerowitz, 2000, "Specific and heritable genetic interference by double-stranded RNA in Arabidopsis thaliana," PNAS <u>97</u> :4985-4990
	د	BD	Clough and Bent, 1998, "Floral dip: a simplified method fro <i>Agrobacterium</i> -mediated transformation of <i>Arabidopsis thaliana</i> ," Plant J. <u>16</u> :735-743
	· · · · · · · · · · · · · · · · · · ·	BE	Comai <i>et al.,</i> 1991, "Novel and useful properties of a chimeric plant promoter combining CaMV 35S and MAS elements," Plant Mol. Biol. <u>15</u> :373-381
	-	BF	Coruzzi et al., 1984, "Tissue-specific and light-regulated expression of a pea nuclear gene encoding the small subunit of ribulose-1, 5-biphosphate carboxylase," EMBO J. 3:1671-1679
		ВG	D'Halluin et al., 1992, "Transgenic Maize Plants by Tissue Electroporation," Plant Cell 4:1495-1505
	··· <u>·</u> ··· <u>-</u>	вн	Dietrich et al., 1992, "Downstream DNA Sequences Are Required to Activate a Gene Expressed in the Root Cortex of Embryos and Seedlings," Plant Cell 4:1371-1382
_		ВІ	Di Laurenzio <i>et al.,</i> 1996, "The SCARECROW Gene Regulates an Asymmetric Cell Division that is Essential for Generating the Radial Organization of the Arabidopsis Root," Cell <u>86</u> :423-433
		BJ	Dolan et al., 1993, "Cellular organisation of the Arabidopsis thaliana root," Development 119:71-84
		вк	Edwards et al., 1990, "Cell-specific expression in transgenic plants reveals nonoverlapping roles for chloroplast and cytosolic glutamine synthetase," Proc. Natl. Acad. Sci. USA <u>87</u> :3459-3463
		BL	Ellis et al., 1987, "Maize Adh-1 promoter sequences control anaerobic regulation: addition of upstream promoter elements from constitutive genes is necessary for expression in tobacco," EMBO J. 6:11-16
ļ		вм	Fluhr et al., 1986, "Organ-Specific and Light-Induced Expression of Plant Genes," Science 232:1106-1112
		BN	Freshour <i>et al.,</i> 1996, "Developmental and Tissue-Specific Structural Alterations of the Cell-Wall Polysaccharides of <i>Arabidopsis thaliana</i> Roots," Plant Physiol. <u>110</u> :1413-1429
		во	Fromm et al., 1985, "Expression of genes transferred into monocot and dicot plant cells by electroporation," Proc. Natl. Acad. Sci. USA 82:5824-5828
		BP	Fukaki <i>et al.</i> , 1996, "Gravitropic Response of Inflorescence Stems in <i>Arabidopsis thaliana</i> ," Plant Physiol. <u>110</u> :933-943, 945-955
		ВQ	Fukaki <i>et al.,</i> 1996, "SGR1, SGR2, and SGR3: Novel Genetic Loci Involved in Shoot Gravitropism in <i>Arabidopsis thaliana</i> ," Plant Physiol. <u>110</u> :945-955
		BR	Fukaki <i>et al.,</i> 1996, "How Do Plant Shoots Bend up?The Initial Step to Elucidate the Molecular Mechansims of Shoot Gravitropism Using <i>Arabidopsis thaliana,"</i> Plant Res. <u>109</u> :129-137
		BS	Fukaki <i>et al.,</i> 1998, "Genetic evidence that the endodermis is essential for shoot gravitropism in <i>Arabidopsis thaliana,</i> " Plant J. <u>14</u> :425-430
		ВТ	Gaiser and Lomax, 1993, "The Altered Gravitropic Response of the <i>lazy-2</i> Mutant of Tomato is Phytochrome Regulated," Plant Physiol. <u>102</u> :339-344
		BU	Gautier <i>et al.,</i> 1987, "α-DNA IV: α-anomeric and β-anomeric tetrahymidylates covalently linked to intercalating oxazalopyridocarbazole," Nucl. Acids Res. <u>15</u> :6625-6641
	-	BV	Greenspan and Bona, 1993, "Idiotypes: structure and immunogenicity," FASEB J 7(5):437-444
	-	вw	Gurley <i>et al.,</i> 1986, "Upstream Sequences Required for Efficient Expression of a Soybean Heat Shock Gene," Mol. Cell. Biol. <u>6</u> :559-565
		вх	Haseloff et al., 1997, "Removal of a cryptic intorn and subcellular localization of green fluorescent protein are required to mark transgenic <i>Arabidopsis</i> plants brightly," Proc. Natl. Acad. Sci. USA <u>94</u> :2122-2127
Ĺ		BY	Hauser et al., 1995, "Conditional root expansion mutants of Arabidopsis," Development 121: 1237-1252

,	CU	Malamy and Benfey, 1997, "Organization and cell differentiation in lateral roots of <i>Arabidopsis thaliana</i> ," Development 124:33-44 Malamy and Benfey, 1997, "Analysis of SCARECROW expression using a rapid system for assessing
	СТ	Mahonen <i>et al.</i> , 2000, "A novel two-component hybrid molecule regulates vascular morphogenesis of the <i>Arabidopsis</i> root," Genes & Development <u>14</u> : 2938-2943
	cs	Lucas <i>et al.,</i> 1995, "Selective Trafficking of KNOTTED1 Homeodomain Protein and Its mRNA Through Plasmodesmata," Science <u>270</u> :1980-1983
	CR	Long <i>et al.,</i> 1993, "The maize transposable element system Ac/Ds as a mutagen in <i>Arabidopsis</i> : Identification of an <i>albino</i> mutation induced by <i>Ds</i> insertion," Proc. Natl. Acad. Sci. USA <u>90</u> :10370-10374
	CQ	Linsbauer (ed.), 1943, <u>Die physiologischen Scheiden,</u> Handbuch der Pflanzenanatomie, Berlin: Gebruder Borntraeger, vol. 5, p. 217
	СР	Lim <i>et al.,</i> 2000, "Molécular Analysis of the SCARECROW Gene in Maize Reveals a Common Basis for Radial Patterning in Diverse Meristems," Plant Cell <u>12</u> : 1307-1318
	со	Liang et al., 1989, "Differential Regulation of Phenylalanine Ammonia-Iyase Genes during Plant Development and by Environmental Cues," J. Biol. Chem. 264:14486-14492
	CN	Li and Chory, 1997, "A Putative Leucine-Rich Repeat Receptor Kinase Involved in Brassinosteroid Signal Transduction," Cell 90:929-938
	СМ	Lemaitre et al., 1987, "Specific antiviral acitivity of a poly(L-lysine)-conjugated oligodeoxyribonucleotide sequence complementary to vesicular stomatitis virus N protein mRNA initiation site," Proc. Natl. Acad. Sci. USA 84:648-652
	CL	Koziel <i>et al.,</i> 1984, "A Cauliflower Mosaic Virus Promoter Directs Expression of Kanamycin Resistance in Morphogenic Transformed Plants," J. Mol. Appl. Genet. <u>2</u> :549-562
	СК	Konieczny and Ausubel, 1993, "A procedure for mapping <i>Arabidopsis</i> mutations using co-dominant ecotype-specific PCR-based markers," Plant J. <u>4</u> :403-410
	CJ	Knox et al., 1990, "Pectin esterification is spatially regulated both within cell walls and between developing tissues of root apices," Planta <u>181</u> :512-521
	CI	Klein <i>et al.,</i> 1988, "Transfer of foreign genes into intact maize cells with high-velocity microprojectiles," Proc. Natl. Acad. Sci. USA <u>85</u> :4305-4309
	СН	Kaeppler <i>et al.,</i> 1990, "Silicon carbide fiber-mediated DNA delivery into plant cells," Plant Cell Reporter 9:415-418
	CG	Jofuku <i>et al.</i> , 1994, "Control of Arabidopsis Flower and Seed Development by the Homeotic Gene <i>APETALA2</i> ," Plant Cell <u>6</u> :1211-1225
	CF	Jenkins et al., 1986, "Gravitropic responses of wild-type and mutant strains of the moss <i>Physcomitrella patens</i> ," Plant Cell Environ <u>9</u> :637-644
	CE	Jefferson, 1987, "Assaying Chimeric Genes in Plants: The GUS Gene Fusion System," Plant Mol. Biol. Rep. <u>5</u> :387-405
	CD	Hooykass-Van Slogteren <i>et al.,</i> 1984, "Expression of Ti plasmid genes in monocotyledonous plant infected with <i>Agrobacterium tumefaciens,</i> " Nature <u>311</u> :763-764
PEMARKOR	СС	Hernalsteen et al., 1984, "An Agrobacterium-transformed cell culture from the monocot Asparagus officinalis," EMBO J <u>3</u> :3039-3041
V 2 2 2001 S	СВ	Helene et al., 1992, "Control of Gene Expression by Triple Helix-Forming Oligonucleotides," Ann. N.Y. Acad. Sci. 660:27-36
DIPK	CA	Helariutta et al., 2000, "The SHORT-ROOT Gene Controls Radial Patterning of the Arabidopsis Root through Radial Signaling," Cell 101: 555-567
^	BZ	Hauser and Benfey, 1994, "Genetic Regulation of Root Expansion in <i>Arabidopsis thaliana</i> ," in <u>Molecular Genetic Analysis of Plant Development and Metabolism</u> , eds. Coruzzi and Puigdomneceh, P. Springer, Berlin, pp. 31-40

	`	
•	сх	Masson, 1995, "Root gravitropism," BioEssays <u>17</u> :119-127
	CY	Mayer et al., 1993, "Apical-based pattern formation in the <i>Arabidopsis</i> embryo: studies on the role of the <i>gnom</i> gene," Development <u>117</u> :149-162
IPE	cz	Mayer et al., 1999, "Sequence and analysis of chromosome 4 of the plant Arabidospsis thaliana," Nature 402:769-777
2 2 2001	CE ISTO	Meier et al., 1991, "Elicitor-Inducible and Constitutive in Vivo DNA Footprints Indicate Novel cis-Acting Elements in the Promoter of a Parsley Gene Encoding Pathogenesis-Related Protein 1," Plant Cell 3:309-315
PADEMARK	DB	Melo-Oliveira <i>et al.,</i> 1996, " <i>Arabidopsis</i> mutant analysis and gene regulation define a nonredundant role for glutamate dehydrogenase in nitrogen assimilation," Proc. Natl. Acad. Sci. USA <u>93</u> :4718-4723
	DC	Odell et al., 1985, "Identification of DNA sequences required for activity of the cauliflower mosaic virus 35S promoter," Nature 313:810-812
	DD	Offringa et al., 1990, "Extrachromosomal homologous recombination and gene targeting in plant cells after Agrobacterium mediated transformation," EMBO J. 9:3077-3084
	DE	Ow et al., 1986, "Transient and Stable Expression of the Firefly Luciferase Gene in Plant Cells and Transgenic Plants," Science 234:856-859
	DF	Paszkowski et al.,1984, "Direct gene transfers to plants," EMBO J 3:2717-2722
	DG	Peng et al., 1997, "The Arabidopsis GAI gene defines a signaling pathway that negatively regulates gibberellin responses," Genes and Dev. 11:3194-3205
	DH	Peng <i>et al.</i> , 1997, "'Green revolution' genes encode mutant gibberellin response modulators," Nature 400:256-261
	DI	Poff et al., 1994, in <u>The Physiology of Tropisms</u> , Meyerowitz & Somerville (eds), Cold Spring Laboratory Press, Plainview, NY, pp. 639-664
	DJ	Potrykus et al., 1985, "Molecular and general genetics of a hybrid foreign gene introduced into tobacco by direct gene transfer," Mol. Gen. Genet. 199:169-177
	DK	Poulsen and Chua, 1988, "Dissection of 5' upstream sequences for selective expression of the <i>Nicotiana plumbaginifolia rbcS</i> -8B gene," Mol. Gen. Genet. <u>214</u> :16-23
	DL	Pysh <i>et al.,</i> 1999, "The GRAS gene family in Arabidopsis: sequence characterization and basic expression analysis of the SCARECROW-LIKE genes," Plant J. <u>18</u> :111-119
	DM	Pysh and Benfey, 1997, "Root Cell Extension: Genetic and Molecular Approaches," in <u>Radical Biology:</u> <u>Advances and Perspectives in the Function of Plant Roots</u> , eds. Flores, Lynch and Eisenstadt, American Soc. Of Plant Physiologists, Maryland, pp. 34-47
	DN	Rogers <i>et al.,</i> 1986, "Gene Transfer in Plants: Production of Transformed Plants Using Ti Plasmid Vectors," Methods Enzymol. <u>118</u> :627-641
	DO	Sabatini <i>et al.,</i> 1999, "An Auxin-Dependent Distal Organizer of Pattern and Polarity in the <i>Arabidopsis</i> Root," Cell <u>99</u> :463-472
	DP	Sack, 1987, "The structure of the stem endodermis in etiolated pea seedlings," Can. J. Bot. <u>65</u> :1514-1519
	DQ	Sack, 1991, "Plant Gravity Sensing," Intern. Rev. Cytol. <u>127</u> :193-252
	DR	Sack and Kiss, 1989, "Rootcap Structure in Wild Type and in a Starchless Mutant of Arabidopsis," Amer. J. Bot. <u>76</u> :454-464
	DS	Salinas <i>et al.</i> , 1992, "Two G-Box-Related Sequences Confer Different Expression Patterns in Transgenic Tobacco," Plant Cell <u>4</u> :1485-1493
	DT	Scheres and Benfey, 1999, "Asymmetric Cell Division in Plants," Annual Review of Plant Physiology and Plant Molecular Biology <u>50</u> : 505-537
	DU	Scheres <i>et al.</i> , 1995, "Mutations affecting the radial organisation of the <i>Arabidopsis</i> root display specific defects throughout the embryonic axis," Development <u>121</u> :53-62
	DV	Scheres <i>et al.,</i> 1994, "Embryonic origin of the <i>Arabidopsis</i> primary root and root meristem initials," Development 120:2475-2487
	DW	Schiefelbein and Benfey, 1994, "Root Development in <i>Arabidopsis</i> ," in <i><u>Arabidopsis</u></i> , eds. Meyerowitz and Somerville, Cold Spring Laboratory Press, pp. 335-354

•					
,	DX	Schiefelbein and Benfey, 1993, "Meeting Report: International Symposium on the Molecular Genetics of Root Development," Plant Molecular Biology Reporter 11: 60-64			
	DY	Schiefelbein and Benfey, 1991, "The Development of Plant Roots: New Approaches to Underground Problems," Plant Cell 3: 1147-1154			
0/0	DZ	Schumacher et al., 1999, "The Lateral suppressor (Ls) gene of tomato encodes a new member of the VHIID protein family," Proc. Natl. Acad. Sci. USA 96:290-295			
2 2 2001	S EA	Shimamoto, 1989, "Fertile transgenic rice plant regenerated from transformed protoplasts," Nature 338:274-276			
MARK OFFICE	EB	Sievers and Braun, 1996, "Chapter 3The Root Cap: Structure and Function," in <u>Plant Roots:The Hidden Half</u> , Wassail <i>et al.</i> (eds.), New York: M. Dekker, pp. 31-49			
	EC	Silverstone <i>et al.,</i> 1998, "The Arabidopsis <i>RGA</i> Gene Encodes a Transcriptional Regulator Repressing the Gibberellin Signal Transduction Pathway," Plant Cell <u>10</u> :155-169			
	ED	Skriver et al., 1991, "Cis-acting DNA elements responsive to gibberellin and its antagonist abscisic acid," Proc. Natl. Acad. Sci. USA <u>88</u> :7266-7270			
	EE	Strittmatter and Chua, 1987, "Artificial combination of two cis-regulatory elements generates a unique pattern of expression in transgenic plants," Proc.Natl. Acad. Sci. USA <u>84</u> :8986-8990			
	EF	Takatsuji et al., 1991, "Characterization of a zinc finger DNA-binding protein expressed specifically in Petunia petals and seedlings," EMBO Journal 11: 241-249			
	EG	Tingey et al., 1987, "Glutamine synthetase genes of pea encode distinct polypeptides which are differentially expressed in leaves, roots and nodules," EMBO J. 6:1-9			
	EH	van den Berg <i>et al.</i> , 1995, "Cell fate in the <i>Arabidopsis</i> root meristem determined by directional signalling," Nature <u>378</u> :62-65			
	ΕI	van den Berg et al., 1997, "Short-range Control of Cell Differentiation in the Arabidopsis root meristem," Nature 390:287-289			
·	EJ	Volkmann and Sievers, 1979, "Graviperception in Multicellular Organs," Encyclopedia Plant Physiol., N.S. vol 7, pp. 573-600			
	EK	Volkmann <i>et al.,</i> 1993, "Graviresponsiveness of Cress Seedlings and Structural Status of Presumptive Statocytes from the Hypocotyl," J. Pl. Physiol. <u>142</u> :710-716			
	EL	Weissenborn and Larson, 1992, "Structure and Regulation of the glpFK Operon Encoding Glycerol Diffusion Facilitator and Glycerol Kinase of <i>Escherichia coli</i> K-12," J. Biol. Chem. <u>267</u> :6122-6131			
	EM	Wisman et al., 1998, "The behaviour of the autonomous maize transposable element En/Spm in Arabidopsis thaliana allows efficient mutagenesis," Plant Mol. Biol. 37:989-999			
	EN	Wysocka-Diller et al., 2000, "Molecular analysis of SCARECROW function reveals a radial patterning mechanism common to root and shoot," Development 127:595-603			
	EO	Wysocka-Diller and Benfey, 1997, "Root development: signaling down and around," BioEssays 19: 959-96			
	EP	Vamamoto et al. 1980 "Identification of a Functional Promoter in the Long Terminal Repeat of a Rous			

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with **MPEP 609**; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

NY2 - 1181558.1